

M a t e r i a l S a f e t y D a t a S h e e t

Caltran 60-15

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Calumet Lubricants Company
2780 Waterfront Pkwy E. Suite 200
Indianapolis, IN 46214

COMPANY CONTACT: Jennifer Hall
TELEPHONE NUMBER: (318)949-2421

EMERGENCY TELEPHONE NUMBERS

Calumet Lubricants (318)949-2421 8am - 5pm cst M-F.
Chemtrec (800)424-9300 After Business Hrs.

PRODUCT NAME: Caltran 60-15
PRODUCT CODE: 3010-00
CHEMICAL NAME: Severely Hydrotreated Heavy Naphthenic Distillate
CAS NUMBER: 64742-53-6
CHEMICAL FAMILY: Petroleum Hydrocarbon Oil

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EXPOSURE LIMITS	CONCENTRATION PERCENT BY VOLUME
Severely Hydrotreated Light Naphthenic Petroleum Oil CAS NUMBER: 64742-53-6	Exposure Limits:OIL MIST OSHA PEL MIST 5 MG/M3 8 HRS ACGIH TLV MIST 5 MG/M3 8 HRS	99.9
Hindered phenol type inhibitor CAS NUMBER: 128-39-2		0.1

3. HAZARDS IDENTIFICATION

***** EMERGENCY OVERVIEW *****
* Not expected to cause a severe emergency hazard. *
* Material has a NFPA rating of 0-1-0. *
* There are no chemicals in reportable quantities under SARA Section 313. *
* Use of adequate ventilation will prevent aspiration of oil mists. *
* Wash skin after contact, prolonged contact with any oils can cause *
* irritation in some individuals. *

POTENTIAL HEALTH EFFECTS

PRIMARY ROUTE(S) OF ENTRY

Skin.

EYES

Tests on similar materials suggest that no eye effect be expected.

SKIN

Tests on similar materials indicate that no significant adverse health effects are expected to occur upon short-term exposure.

INGESTION

Tests on similar materials indicate no significant adverse effects expected. Practically non-toxic.

INHALATION

Tests on similar material indicate no acute effects are expected.

CHRONIC (CANCER INFORMATION)

Prolonged and/or repeated contact with this material may produce skin irritation and inflammation.

Carcinogen listed by : National Toxicology Program (NO)
I. A. R. C. (NO)
OSHA (NO)
ACGIH (NO)

M a t e r i a l S a f e t y D a t a S h e e t

Caltran 60-15

3. HAZARDS IDENTIFICATION - Continued

CHRONIC (CANCER INFORMATION) - Continued

This product does not require a cancer hazard warning in accordance with the OSHA Hazard Communication Standard.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Personnel with pre-existing skin disorders should avoid contact with this product.

4. FIRST AID MEASURES

EYES

Flush eyes immediately with water for at least 15 minutes or until irritation subsides. If irritation persists, consult a physician.

SKIN

Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse. If irritation or rash develops, obtain medical assistance. Immediately remove soaked clothing.

INGESTION

Product is practically non-toxic. Do not induce vomiting. Obtain emergency medical attention.

INHALATION

Not likely to occur except a mist. Remove patient to fresh air and consult a physician. If breathing is difficult, give oxygen. If not breathing give artificial respiration.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: >293°F >145°C COC ASTM D92

AUTOIGNITION: >650°F >343°C

FLAMMABILITY CLASS: IIIB

LOWER EXPLOSIVE LIMIT (%): Not determined

UPPER EXPLOSIVE LIMIT (%): Not determined

FIRE AND EXPLOSION HAZARDS

Slightly combustible. OSHA/NFPA Class IIIB Combustible Liquid. If heated above its flash point will release flammable vapors which can burn in the open or be explosive in confined spaces if exposed to ignition source. Mists or sprays may be flammable below oil's normal flash point. Keep away from extreme heat or open flame.

EXTINGUISHING MEDIA

Dry Chemical, carbon dioxide, water fog and foam. NOTE: Water, fog and foam may cause frothing and spattering.

FIRE FIGHTING INSTRUCTIONS

Use water to cool containers exposed to flames. Do not enter enclosed or a confined work space without proper protective equipment. Fire fighting personnel should wear respiratory protection (positive pressure if available).

Products of combustion include fumes, smoke and carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

Shut off ignition source. Contain spill and keep from entering waterways or sewers. Use personal protective equipment. Advise EPA; state agency if required. Absorb on inert material. Shovel, sweep or vacuum spill.

Material Safety Data Sheet

Caltran 60-15

7. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS

Keep away from flames, sparks or hot surfaces. Never use a torch to cut or weld on or near container. Empty oil containers can contain explosive vapors. NFPA Class IIIB storage. Wash thoroughly after handling.

STORAGE PRECAUTIONS

Storage Temperature: ambient
Storage Pressure: atmospheric

WORK/HYGIENIC PRACTICES

Wash hands with soap and water before eating, drinking, smoking or use of toilet facilities. Do not use gasoline, solvents, kerosene, or harsh abrasive skin cleaners for washing exposed skin areas. Take a shower after work if general contact occurs. Remove oil-soaked clothing and launder before reuse. Launder or discard contaminated shoes and leather gloves.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS

Use adequate ventilation to keep oil mists of this material below applicable standard(s). See Section on occupational exposure limits.

EYE/FACE PROTECTION

Safety glasses or splash goggles. Have suitable eye wash water available.

SKIN PROTECTION

Avoid prolonged and/or repeated skin contact. If prolonged contact cannot be avoided, wear protective impervious gloves and clothing. Acceptable materials for gloves are polyvinyl chloride; neoprene; nitrile; polyvinyl alcohol; viton.

RESPIRATORY PROTECTION

Normally not required if adequate ventilation. If occupational exposure limits are exceeded wear NIOSH/MSHA approved apparatus.

OTHER/GENERAL PROTECTION

If there is a likelihood of splashing, an oil resistant clothing should be worn. Never wear oil soaked clothing. Launder or dry clean before wearing. Discard oil soaked shoes. Affix warning labels on containers in accordance with 29 CFR 1910.1200 (Hazard Communication Standard).

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Clear, pale straw to water white, viscous liquid.

ODOR

Light bland petroleum.

ODOR THRESHOLD

N.D.

BASIC PHYSICAL PROPERTIES

PHYSICAL STATE: Liquid

BOILING POINT: IBP >520 (D86)°F IBP >271 (D86)°C

MELTING POINT: -80 (D97)°F -62 (D97)°C

VAPOR PRESSURE: <0.01 mm Hg @ 20°C

VAPOR DENSITY (AIR=1): >5

SPECIFIC GRAVITY: 0.89 Water = 1

MOLECULAR WEIGHT: 280.00

PACKING DENSITY: N/A

SOLUBILITY (H2O): negligible

PERCENT VOLATILES: nil

VOLATILE ORGANIC COMPOUNDS (VOC) CONTENT: 40.0 %

EVAPORATION RATE: 1000X slower than ethyl ether

M a t e r i a l S a f e t y D a t a S h e e t

Caltran 60-15

9. PHYSICAL AND CHEMICAL PROPERTIES - Continued

pH: essentially neutral
VISCOSITY: 12 cSt / 66 SUS at 100°F

Physical data may vary slightly to meet specifications.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY)
Sources of ignition.

INCOMPATIBLE MATERIALS
Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS
Combustion may produce carbon monoxide and other asphyxiants.

HAZARDOUS POLYMERIZATION: will not occur

11. TOXICOLOGICAL INFORMATION

ACUTE STUDIES
Tests on similar materials show a low order of acute oral and dermal toxicity.

EYE EFFECTS
Minimal irritation on contact.

SKIN EFFECTS
Practically non-toxic if absorbed. May cause mild irritation with prolonged and repeated contact.

ACUTE ORAL EFFECTS
Tests on similar materials indicate low order of acute oral toxicity.

ACUTE INHALATION EFFECTS
Low acute toxicity expected on inhalation.

MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE
Dermatitis and Sensitive skin.

This product is severely hydrotreated. Severely hydrotreated naphthenic petroleum oil has not been found to be carcinogenic or a potential carcinogen. This product is not listed as carcinogenic or a potential carcinogen by the National Toxicology Program, by the I.A.R.C. monographs or by OSHA. Nevertheless, good industrial hygienic practices are recommended.

12. ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to section 6 for information regarding accidental releases and section 15 for regulatory reporting requirements.

13. DISPOSAL CONSIDERATIONS

Follow federal, state and local regulations. Not a RCRA hazardous waste if uncontaminated. If "used", RCRA criteria must be determined. Do not flush to drain/storm sewer. Contract to authorized disposal service. If permitted incineration may be practical. Recommend recycling.

M a t e r i a l S a f e t y D a t a S h e e t

Caltran 60-15

13. DISPOSAL CONSIDERATIONS - Continued

RCRA INFORMATION

Not a RCRA hazardous waste if uncontaminated.

14. TRANSPORT INFORMATION

PROPER SHIPPING NAME: Not regulated by DOT

HAZARD CLASS: Not applicable

DOT IDENTIFICATION NUMBER: N/A

DOT SHIPPING LABEL: Not regulated by DOT

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATORY INFORMATION

SARA 302 Threshold Planning Quantity: NOT APPLICABLE

SARA 304 Reportable Quantity : NOT APPLICABLE

EPA/TSCA Inventory: The components of this product are listed on the EPA/TSCA inventory of chemicals.

EPA Hazard Classification Code: NOT APPLICABLE

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA): No chemicals in this product are subject to the reporting requirements of CERCLA.

SARA TITLE III NOTIFICATIONS AND INFORMATION

SARA TITLE III - HAZARD CLASSES: Acute Health Hazard

SARA TITLE III - SECTION 313 SUPPLIER NOTIFICATION

No chemicals in this product exceed the De Minimus reporting level established by SARA Title III, Section 313 and 40 CFR 372.

CANADIAN REGULATORY INFORMATION

The components of this product are listed on the Canadian (DSL) Domestic Substances List.

WHMIS Classification: not controlled.

16. OTHER INFORMATION

NFPA HAZARD RATING - HEALTH: 0 Negligible
 - FIRE: 1 Slight
 - REACTIVITY: 0 Negligible

PREPARED BY: Jennifer Hall
SUPERCEDES MSDS DATED: 06/30/95

PHONE: (318)949-2421

Revised:
05/27/94
06/30/95
10/29/98

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information contained herein is based upon data believed to be reliable and reflects our best professional judgment. Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein and assume no responsibility regarding the suitability of this information for the user's intended purpose or for the consequence of its use. Each individual should make a determination as to the suitability of the information for his/her particular purpose(s).